

Import Test Questions (CI)

Code D[ID][en]:Description D[ID][fr]:Description Q[ID][en]:Question Q[ID][fr]:Question A[1][en]:Answer A[1][fr]:Réponse A[2][en]:Answer A[2][fr]: Réponse	MMRS1 D[en]:Change Password Upon Login D[fr]:Modification du mot de passe Q[en]:A Learner must change their password the first time they log in to the system. Q[fr]:Un participant doit modifier leur mot de passe la première fois qu' il entre le système. A[1][en]C:False A[1][fr]C:Faux A[2][en]:True A[2][fr]:Vrai
Code	Code

Code				
Practice Assessment Property	Final Assessment Property	Answer Order Property	Answer Style Property	Correctness Rule Property
– (Not Used) A P (Ask Possible) M (Must Ask Mandatory) R (Requalifier)	– (Not Used) A P (Ask Possible) M (Must Ask Mandatory) R (Requalifier)	R (Random) S (Static)	S R (Single Radio) M C (Multiple Checkbox)	A (All) 1 (One Single) N (Any)
Description				
D	[ID]	[en th zh sp fr ...]	:	
Mandatory – marks the line as a Description row	Optional – If used, must be the same as the Question ID.	Optional – if used, must have an equivalent Q language line.	Marks the start of the question text	
Question				
Q	[ID]	[en th zh sp fr ...]	:	
Mandatory – marks the line as a Question row	Optional – Used for importing to signify the question to amend. If omitted, it will create a new question on import.	Optional – if omitted, the import will assume the current language is to be used.	Marks the start of the question text.	
Answer				
A	[ID]	[en th zh sp fr ...]	C	:
Mandatory – marks the line as a Answer row	Mandatory – Used for importing to signify the answer to amend. If omitted, will assume they are ordered starting at 1, and add answers in that order (especially for the case of answers given in a static order).	Optional – if omitted, the import will assume the current language is to be used.	This character will only appear in the answer line(s) that contain the correct answer.	Marks the start of the question text.