# Import Test Questions (CI)

| | | |
|---|---|---|
| Code<br>D:Description<br>Q:Question Text<br>A[1]:Answer<br>A[2]:Answer | MMSS1<br>D:Change Password Upon Login<br>Q:A Learner must change their password the first time they login to the system.<br>A[1]:True<br>A[2]C:False | **Information** |
| Code<br>D:Description<br>Q:Question Text<br>A[1]:Answer<br>A[2]:Answer<br>A[3]:Answer<br>A[4]:Answer<br>A[5]:Answer<br>A[6]:Answer<br>A[7]:Answer | MMRMA<br>D:Colours in Qualification Status Pie<br>Q:What colours appear in the Qualification Status Pie?  Select all that apply.<br>A[1]C:Blue<br>A[2]C:Red<br>A[3]C:Black<br>A[4]C:White<br>A[5]C:Yellow<br>A[6]:Green<br>A[7]:Orange | • There cannot be any space before the first code in the document<br>• Must be saved as *.txt<br>• Code contains 5 characters maximum<br>• There is a single blank line between questions<br>• Static Answer Order should be used for True/ False, Numeric, All of the above/ None of the above. |

## Code

| Practice Assessment Property | Final Assessment Property | Answer Order Property | Answer Style Property | Correctness Rule Property |
|---|---|---|---|---|
| **–** Not Used<br>**A\|P** Ask \| Possible<br>**M** Mandatory<br>**R** Requalifier | **–** Not Used<br>**A\|P** Ask \| Possible<br>**M** Mandatory<br>**R** Requalifier | **R** Random<br>**S** Static | **S\|R** Single \| Radio<br>**M\|C** Multiple\|Checkbox<br>**T** Text | **A** All<br>**1** One \| Single<br>**N** Any |

## Description

| D | [ID] | [en\|fr\|sp\|th\|zh\|…] | : | |
|---|---|---|---|---|
| **Mandatory** – marks the line as a description row. | **Optional** – if used, must be the same as the question ID. | **Optional** – if used, must have an equivalent Q language line. | **Mandatory** – marks the start of the description text. | |

## Question

| Q | [ID] | [en\|fr\|sp\|th\|zh\|…] | : | |
|---|---|---|---|---|
| **Mandatory** – marks the line as a question row. | **Optional** – used for importing to signify the question to amend.  This number is obtained using a question export.  If omitted, it will create a new question on import. | **Optional** – if omitted, the import will assume the current language is to be used. | **Mandatory** – marks the start of the question text. | |

## Answer

| A | [ID] | [en\|fr\|sp\|th\|zh\|…] | C | : |
|---|---|---|---|---|
| **Mandatory** – marks the line as an Answer row. | **Mandatory** – used for importing to signify the answer to amend.  If no current answers in system, used to signify answer order in static questions | **Optional** – if omitted, the import will assume the current language is to be used. | This character will only appear in the answer line(s) that contain the correct answer. | **Mandatory** – marks the start of the answer text. |